

SPECTACLED TYRANT (*Hymenops perspicillatus*) – An unexpected female was at Laguna Volcan.

YELLOW-BROWED TYRANT (*Satrapa icterophrys*) – A bird at Lomas de Arena.

SPOT-BILLED GROUND-TYRANT (*Muscisaxicola maculirostris*)

TACZANOWSKI'S GROUND-TYRANT (*Muscisaxicola griseus*) – On Cerro Tunari.

CINEREOUS GROUND-TYRANT (*Muscisaxicola cinereus*) – This and the next species were in the high elevation moonscape at La Cumbre.

WHITE-FRONTED GROUND-TYRANT (*Muscisaxicola albifrons*)

OCHRE-NAPED GROUND-TYRANT (*Muscisaxicola flavinucha*) – Migrants at Cerro Tunari. [a]

BLACK-BILLED SHRIKE-TYRANT (*Agriornis montanus*)

STREAK-THROATED BUSH-TYRANT (*Myiotheretes striaticollis*) – Seen at several sites, but the least expected was the pair at Refugio los Volcanes.

RUFOUS-BELLIED BUSH-TYRANT (*Myiotheretes fusciorufus*)

RUFOUS-WEBBED BUSH-TYRANT (*Polioxolmis rufipennis*) – A little bit of the "kestrel hovering" behavior was on display.

GOLDEN-BROWED CHAT-TYRANT (*Ochthoeca pulchella*) – Fine views of this lovely, if secretive, little tyrant at the Corani hydro road.

SLATY-BACKED CHAT-TYRANT (MAROON-BELTED) (*Ochthoeca cinnamomeiventris thoracica*) – Most likely to be split from Slaty-backed at some point.

RUFOUS-BREASTED CHAT-TYRANT (*Ochthoeca rufipectoralis*)

BROWN-BACKED CHAT-TYRANT (*Ochthoeca fumicolor*)

WHITE-BROWED CHAT-TYRANT (*Ochthoeca leucophrys*)

CATTLE TYRANT (*Machetornis rixosa*)

RUFOUS CASIORNIS (*Casiornis rufus*) [*]

DUSKY-CAPPED FLYCATCHER (*Myiarchus tuberculifer*) [*]

BROWN-CRESTED FLYCATCHER (*Myiarchus tyrannulus*) [*]

GREAT KISKADEE (*Pitangus sulphuratus*) – A rather familiar species to most. The highland birds around Cochabamba are interesting in being so large and pale.

BOAT-BILLED FLYCATCHER (*Megarynchus pitangua*) [*]

GOLDEN-CROWNED FLYCATCHER (*Myiodynastes chrysocephalus*) – After hearing it a couple of times, a pair showed well at Alto Sacramento.

STREAKED FLYCATCHER (SOLITARIUS) (*Myiodynastes maculatus solitarius*)

PIRATIC FLYCATCHER (*Legatus leucophaeus*) [*]

VARIEGATED FLYCATCHER (*Empidonomus varius*) – Nice views from the bus as we went back up the Coroico road.

CROWNED SLATY FLYCATCHER (*Empidonomus aurantioatrocristatus*) – A bird in the Mizque valley was nice.

TROPICAL KINGBIRD (*Tyrannus melancholicus*) – Remarkably few encounters with this widespread tropical species.

Cotingidae (Cotingas)

BAND-TAILED FRUITEATER (*Pipreola intermedia*) – Nice views in the Chapare and again the La Paz yungas.

BARRED FRUITEATER (*Pipreola arcuata*) – Fine views of a lovely male along the road near Chuspipata.

WHITE-TIPPED PLANTCUTTER (*Phytotoma rutila*) – An odd cotinga of the dry scrub.

RED-CRESTED COTINGA (*Ampelion rubrocristatus*)

CHESTNUT-CRESTED COTINGA (*Ampelion rufaxilla*) – Thanks to Roky for spotting this excellent cotinga in the Chapare.

SCIMITAR-WINGED PIHA (*Lipaugus uropygialis*) – One of the most enjoyed birds of the tour (with reason)! We had three of them near Alto Sacramento! What a great experience... if only those dratted flies could have left us alone!

Pipridae (Manakins)

YUNGAS MANAKIN (*Chiroxiphia boliviana*) – Seen at both Refugio los Volcanes and again at Miguelito.

Tityridae (Tityras and Allies)

MASKED TITYRA (*Tityra semifasciata*)

BARRED BECARD (*Pachyramphus versicolor*) – A fine male showed well at Empalme.

CHESTNUT-CROWNED BECARD (*Pachyramphus castaneus*) – A bird at our hotel at Coroico was nice.

Vireonidae (Vireos, Shrike-Babblers, and Erpornis)

RUFOUS-BROWED PEPPERSHRIKE (*Cyclarhis gujanensis*) – That's one big vireo!

Corvidae (Crows, Jays, and Magpies)

WHITE-COLLARED JAY (*Cyanolyca viridicyanus*) – A great experience with a rapidly-moving flock near Chuspipata.

GREEN JAY (*Cyanocorax yncas*)

PURPLISH JAY (*Cyanocorax cyanomelas*) – This and the next showed well in the lowlands.

PLUSH-CRESTED JAY (*Cyanocorax chrysops*)

Hirundinidae (Swallows)

BLUE-AND-WHITE SWALLOW (*Pygochelidon cyanoleuca*)

TAWNY-HEADED SWALLOW (*Alopocheilidon fucata*) – A funny and rather rare swallow we enjoyed in the Mizque valley.

PALE-FOOTED SWALLOW (*Orochelidon flavipes*) – Quite common on this tour in upper elevation cloud forest.

BROWN-BELLIED SWALLOW (*Orochelidon murina*) – Seen on one day at the Corani reservoir road.

ANDEAN SWALLOW (*Orochelidon andecola*) – After several at higher elevations of Cochabamba, we had a huge collection of them over that pond at La Cumbre!

SOUTHERN ROUGH-WINGED SWALLOW (*Stelgidopteryx ruficollis*) – Roky spotted this, usually lowland, species in the Mizque valley.

SOUTHERN MARTIN (*Progne elegans*) – A collection of this austral migrant paused on the roof of the hotel at Laguna Alalay. A learning experience! [a]

BARN SWALLOW (*Hirundo rustica*) – A few of these North American migrants had reached Titicaca by the time we got there! [b]

Troglodytidae (Wrens)

HOUSE WREN (*Troglodytes aedon*)

MOUNTAIN WREN (*Troglodytes solstitialis*)

THRUSH-LIKE WREN (*Campylorhynchus turdinus unicolor*)

MOUSTACHED WREN (*Pheugopedius genibarbis*) – A loud feature of the forests at Refugio los Volcanes.

FULVOUS WREN (*Cinnycerthia fulva*) – Fine views of this rather musical wren on the Coroico road.

GRAY-BREASTED WOOD-WREN (*Henicorhina leucophrys*)

Poliophtilidae (Gnatcatchers)

MASKED GNATCATCHER (*Poliophtila dumicola saturata*) – Grayer below than the birds we'd seen in the Beni.

Turdidae (Thrushes and Allies)

ANDEAN SOLITAIRE (*Myadestes ralloides ralloides*) – Nice views of this songster along the Coroico road.

WHITE-EARED SOLITAIRE (*Entomodestes leucotis*) – Thanks to Guy for getting us on a fine bird as it sang at Alto Sacramento.

RUFOUS-BELLIED THRUSH (*Turdus rufiventris*)

CREAMY-BELLIED THRUSH (*Turdus amaurochalinus*) – One of the most widespread thrushes in the country, it would seem!

SLATY THRUSH (*Turdus nigriceps*) – Mostly frustratingly brief dashes as it darted from hidden perch to hidden perch.

GREAT THRUSH (*Turdus fuscater fuscater*)

CHIGUANCO THRUSH (ANTHRACINUS) (*Turdus chiguanco anthracinus*)

GLOSSY-BLACK THRUSH (*Turdus serranus*)

WHITE-NECKED THRUSH (RUFOUS-FLANKED) (*Turdus albicollis contemptus*) – It was nice to confirm my "mystery" song as this species at Coroico. The southern Andean and eastern Brazilian forms of this species probably should be separated from the Amazonian ones.

Mimidae (Mockingbirds and Thrashers)

CHALK-BROWED MOCKINGBIRD (*Mimus saturninus*) – At Lomas de Arena.

WHITE-BANDED MOCKINGBIRD (*Mimus triurus*) – A fine bird at Lomas de Arena.

BROWN-BACKED MOCKINGBIRD (*Mimus dorsalis*) – Thanks to Carlos for getting us on a pair or two of this near-endemic as we drove to Cochabamba!

Motacillidae (Wagtails and Pipits)

SHORT-BILLED PIPIT (*Anthus furcatus*) – Several of these singing pipits in the dry puna between La Paz and Titicaca.

CORRENDERA PIPIT (*Anthus correndera*) – Tied more to wetter habitats than the last.

HELLMAYR'S PIPIT (*Anthus hellmayri*) – Cool! A nice surprise was a singing bird at a road construction stop in Siberia!

Parulidae (New World Warblers)

MASKED YELLOWTHROAT (SOUTHERN) (*Geothlypis aequinoctialis velata*)

TROPICAL PARULA (*Setophaga pitiayumi*)

THREE-STRIPED WARBLER (BOLIVIAN) (*Basileuterus tristriatus punctipectus*) – recently the subject of a recent pair of studies. It would appear the the birds from Puno, Peru, to Santa Cruz, Bolivia, probably deserve to be separated as a distinct species.

CITRINE WARBLER (*Myiothlypis luteoviridis euophrys*) – This subspecies is quite different in plumage and voice from birds of central Peru and north, and should be separated at some point.

PALE-LEGGED WARBLER (*Myiothlypis signata*) – Great views of this easily lured species at several sites in the humid yungas.

TWO-BANDED WARBLER (*Myiothlypis bivittata*) – A common bird in the Bermejo area, and again at Coroico.

SLATE-THROATED REDSTART (*Myioborus miniatus*)

BROWN-CAPPED REDSTART (*Myioborus bruniceps*) – An attractive warbler that seems as common or more so in the arid montane forests as in more humid habitats.

SPECTACLED REDSTART (*Myioborus melanocephalus*) – Replaces the last two in higher elevation humid yungas.

Thraupidae (Tanagers and Allies)

SUPERCILIARIED HEMISPINGUS (URUBAMBAE) (*Hemispingus superciliaris urubambae*) – What is a "spingus" and how is this only half of one?

DRAB HEMISPINGUS (*Hemispingus xanthophthalmus*) – An entertaining species as it shuffles across the leaves on the crowns of yungas trees.

THREE-STRIPED HEMISPINGUS (*Hemispingus trifasciatus*)

ORANGE-HEADED TANAGER (*Thlypopsis sordida*)

RUST-AND-YELLOW TANAGER (*Thlypopsis ruficeps*)

BLACK-GOGGLED TANAGER (*Trichothraupis melanops*) – A rather distinctive tanager of semi-humid montane forests of the southern Andes (and another population in southern coastal Brazil).

SILVER-BEAKED TANAGER (*Ramphocelus carbo*) – Bolivian population's males are a lovely satin black with a glowing magenta throat. The females are similarly sooty.

HOODED MOUNTAIN-TANAGER (*Buthraupis montana montana*) – A huge, bold tanager of high yungas.

GRASS-GREEN TANAGER (*Chlorornis riefferii*) – What an unlikely color scheme!

SCARLET-BELLIED MOUNTAIN-TANAGER (*Anisognathus igniventris*)

BLUE-WINGED MOUNTAIN-TANAGER (*Anisognathus somptuosus flavinucha*) – Another species where the southernmost form is so distinct vocally that it is screaming (almost literally!) to be split!

CHESTNUT-BELLIED MOUNTAIN-TANAGER (*Dubusia castaneiventris*)

RUFOUS-BELLIED MOUNTAIN-TANAGER (*Pseudosaltator rufiventris*) – Wow! So Clements has changed the name of this only-just-yesterday-a-saltator! DNA studies has suggested it is closest to the last species and the more northerly Buff-breasted Mountain-Tanager. It sure don't look it though!

FAWN-BREASTED TANAGER (*Pipraeidea melanonota*)

BLUE-AND-YELLOW TANAGER (*Pipraeidea bonariensis*) – A common and showy, species in the more arid habitats of the tour.

SAYACA TANAGER (*Thraupis sayaca*) – Nearly ubiquitous in Bolivia!

PALM TANAGER (*Thraupis palmarum*)

BLUE-CAPPED TANAGER (*Thraupis cyanocephala*) – Although it is still placed here with the Thraupis tanagers, recent genetics suggest it is more closely related to the Anisognathus mountain-tanagers.

GOLDEN-NAPED TANAGER (*Tangara ruficervix*)

GREEN-THROATED TANAGER (*Tangara argyrofenges*) – What a great bird! And I'm glad to see it still is fairly easy at Miguelito.

SAFFRON-CROWNED TANAGER (*Tangara xanthocephala*)

SWALLOW TANAGER (*Tersina viridis*) – A large group showed up at Refugio los Volcanes, suggesting they could have been austral migrants!

BLUE DACNIS (*Dacnis cayana*)

GUIRA TANAGER (*Hemithraupis guira*)

CINEREOUS CONEBILL (*Conirostrum cinereum*)

BLUE-BACKED CONEBILL (*Conirostrum sitticolor*)

CAPPED CONEBILL (*Conirostrum albifrons*)

WHITE-BROWED CONEBILL (*Conirostrum ferrugineiventre*) – A fine high elevation species that showed briefly at the Corani reservoir road.

GIANT CONEBILL (*Oreomanes fraseri*) – What a great response form this nuthatch-like tanager at Cerro Tunari!

MOUSTACHED FLOWERPIERCER (*Diglossa mystacalis*) [*]

BLACK-THROATED FLOWERPIERCER (*Diglossa brunneiventris*)

GRAY-BELLIED FLOWERPIERCER (*Diglossa carbonaria*) – An endemic that is quite common at higher elevations. [E]

RUSTY FLOWERPIERCER (*Diglossa sittoides*)

MASKED FLOWERPIERCER (*Diglossa cyanea*)

BLACK-HOODED SIERRA-FINCH (*Phrygilus atriceps*) – Guy got us on this species at Cerro Tunari.

PERUVIAN SIERRA-FINCH (*Phrygilus punensis*) – Similar to the last, but found in slightly wetter habitats in La Paz.

PLUMBEOUS SIERRA-FINCH (*Phrygilus unicolor*)

ASH-BREASTED SIERRA-FINCH (*Phrygilus plebejus*)

BAND-TAILED SIERRA-FINCH (*Phrygilus alaudinus*) – A nice view of this junco-like finch in the altiplano puna between La Paz and Titicaca.

WHITE-WINGED DIUCA-FINCH (*Diuca speculifera*) – The highest nesting bird in the world, it has been found nesting on glaciers over 5000m in elevation!

SLATY FINCH (*Haplospiza rustica*) [*]

GRAY-CRESTED FINCH (*Lophospingus griseocristatus*) – Like a thick-billed titmouse.

BOLIVIAN WARBLING-FINCH (*Poospiza boliviana*) – Fleeting and rather frustrating views of this near-endemic on Cerro Tunari.

RUFOUS-SIDED WARBLING-FINCH (*Poospiza hypochondria*)

RUSTY-BROWED WARBLING-FINCH (*Poospiza erythrophrys*) – A very nice pair showed well at Cerro Tunari!

RINGED WARBLING-FINCH (*Poospiza torquata*)

BLACK-CAPPED WARBLING-FINCH (*Poospiza melanoleuca*)

COCHABAMBA MOUNTAIN-FINCH (*Compsospiza garleppi*) – Great views on Cerro Tunari. [E]

BRIGHT-RUMPED YELLOW-FINCH (*Sicalis uropygialis*)

CITRON-HEADED YELLOW-FINCH (*Sicalis luteocephala*) – A lucky spot just after lunch the day we drove from Comarapa to Cochabamba!

GREENISH YELLOW-FINCH (*Sicalis olivascens*)

SAFFRON FINCH (PELZEN'S) (*Sicalis flaveola pelzelni*)

GRASSLAND YELLOW-FINCH (*Sicalis luteola*)

GREAT PAMPA-FINCH (WESTERN) (*Embernagra platensis olivascens*)

WHITE-BELLIED SEEDEATER (*Sporophila leucoptera bicolor*) – Seen at Lomas de Arena.

DOUBLE-COLLARED SEEDEATER (*Sporophila caeruleascens*) – At Refugio los Volcanes.

BAND-TAILED SEEDEATER (*Catamenia analis*)

PLAIN-COLORED SEEDEATER (*Catamenia inornata*) – A nice view of this not-so-plain seedeater.

RED-CRESTED FINCH (*Coryphospingus cucullatus*) – A cardinal-like glowing finch of arid brushlands.

BANANAQUIT (*Coereba flaveola*)

DULL-COLORED GRASSQUIT (*Tiaris obscurus*) – This one does live up to its name... but it's kind of endearing just the same.

GRAYISH SALTATOR (*Saltator coerulescens*)

GOLDEN-BILLED SALTATOR (*Saltator aurantirostris*)

Emberizidae (Buntings and New World Sparrows)

COMMON CHLOROSPINGUS (*Chlorospingus flavopectus*) – No longer a tanager (hence the change of English name from "Bush-Tanager" to Chlorospingus). This is yet another very variable species that will no doubt be split into many species soon.

WHITE-BROWED BRUSHFINCH (*Arremon torquatus*) – Formerly part of the Stripe-headed Brush-Finch complex. Now nearly endemic to Bolivia.

SAFFRON-BILLED SPARROW (*Arremon flavirostris*) – Fine views of this sparrow at Refugio los Volcanes.

RUFOUS-COLLARED SPARROW (*Zonotrichia capensis*)

BOLIVIAN BRUSHFINCH (*Atlapetes rufinucha*) – A common and lovely endemic of humid yungas. [E]
FULVOUS-HEADED BRUSHFINCH (*Atlapetes fulviceps*) – Very attractive, and quite responsive at Cerro Tunari.

Cardinalidae (Cardinals and Allies)

HEPATIC TANAGER (*Piranga flava*) – This species has been split into two or three by some, this population called either "Highland Hepatic Tanager" or "Red Tanager".

WHITE-WINGED TANAGER (*Piranga leucoptera*) – After a poor experience at Refugio los Volcanes, we had a far better look at Miguelito.

BLACK-BACKED GROSBEAK (*Pheucticus aureoventris*) [a]

ULTRAMARINE GROSBEAK (*Cyanocompsa brissonii*) – A handsome large bunting related to North America's Indigo and Lazuli.

Icteridae (Troupials and Allies)

CHOPI BLACKBIRD (*Gnorimopsar chopi*)

YELLOW-WINGED BLACKBIRD (*Agelasticus thilius*) – Adequately fills the niche of a Red-winged Blackbird in high Andean marshes.

BOLIVIAN BLACKBIRD (*Oreopsar bolivianus*) – Not hard to find around Cochabamba. [E]

GRAYISH BAYWING (*Agelaioides badius*) – Formerly called Bay-winged Cowbird, but it has been shown not to be a true cowbird (indeed, it is a host of one of the species of true cowbird). More recently has been split into two species, the other found in northeast Brazil.

SHINY COWBIRD (*Molothrus bonariensis*)

GIANT COWBIRD (*Molothrus oryzivorus*)

VARIABLE ORIOLE (CHESTNUT-SHOULDERED) (*Icterus pyrrhopterus pyrrhopterus*) – Formerly part of Epaulet Oriole.

MOUNTAIN CACIQUE (BOLIVIAN) (*Cacicus chrysonotus chrysonotus*) – A fine experience with this montane icterid in the upper yungas of the Coroico road.

DUSKY-GREEN OROPENDOLA (*Psarocolius atrovirens*)

CRESTED OROPENDOLA (*Psarocolius decumanus*)

Fringillidae (Finches, Euphonias, and Allies)

PURPLE-THROATED EUPHONIA (*Euphonia chlorotica*)

THICK-BILLED EUPHONIA (*Euphonia laniirostris*)

GOLDEN-RUMPED EUPHONIA (*Euphonia cyanocephala*) – A pair was pretty back lit at Refugio los Volcanes.

BLUE-NAPED CHLOROPHONIA (*Chlorophonia cyanea*) – A very lovely species we enjoyed at Miguelito and again on the Coroico road.

HOODED SISKIN (*Spinus magellanicus*)

BLACK SISKIN (*Spinus atratus*) – One fancy-looking finch we saw at the highest elevations.

Passeridae (Old World Sparrows)

HOUSE SPARROW (*Passer domesticus*)

MAMMALS

BROWN CAPUCHIN (*Cebus apella*) – After hearing them at Refugio los Volcanes, we saw some at Miguelito.

CAPE HARE (*Lepus capensis*) – A strange choice to introduce to the altiplano. [I]

BOLIVIAN SQUIRREL (*Sciurus ignitus*)

MONTANE GUINEA PIG (*Cavia tschudii*) – The cavy we saw at a few places in the highlands.

BROWN AGOUTI (*Dasyprocta variegata*) – Seen around our hotel at Coroico.

SOUTHERN MOUNTAIN VISCACHA (*Lagidium viscacia*) – Seen among the boulders at Pongo.

LONG-TAILED WEASEL (*Mustela frenata*) – Patty and Dorothy saw this lanky mammal on the Coroico road.

ADDITIONAL COMMENTS

Totals for the tour: 445 bird taxa and 7 mammal taxa